


PowerPact™ H-, J-, and L-Frame Circuit Breakers


Trip Curves

Figure 88: H-Frame 150 A Typical Peak Let-Through Curves



PowerPact™ H-, J-, and L-Frame Circuit Breakers Trip Curves

Figure 89: H-Frame 150 A Typical I^2t Let-Through Curves




Schneider
Electric
© 2012 Schneider Electric all rights reserved

Drawing No. 48095-050-06
April 2012
Rev. 01


PowerPact™ H-, J-, and L-Frame Circuit Breakers
Trip Curves

Figure 90: J-Frame 250 A Typical Peak Let-Through Curves



PowerPact™ H-, J-, and L-Frame Circuit Breakers Trip Curves

Figure 91: J-Frame 250 A Typical I^2t Let-Through Curves




Schneider
Electric

© 2012 Schneider Electric all rights reserved

Drawing No. 48095-050-08
April 2012
Rev. 01

PowerPact™ H-, J-, and L-Frame Circuit Breakers
Trip Curves

Figure 94: H-Frame UL Listed Current-Limiting Circuit Breaker




Schneider
Electric
© 2012 Schneider Electric all rights reserved

Drawing No. 48095-050-10
April 2012
Rev. 02

PowerPact™ H-, J-, and L-Frame Circuit Breakers Trip Curves

Figure 95: H-Frame UL Listed Current-Limiting Circuit Breaker

THERMAL-MAGNETIC MOLDED CASE CIRCUIT BREAKERS
H-FRAME® CURRENT LIMITING CIRCUIT BREAKERS
 H 150 A FRAME AT 240, 480 AND 600 V, 3Ø
 HJ, HL AND HR 15–150 A
 LET-THROUGH CURRENT I^2t



Schneider
Electric™


© 2012 Schneider Electric all rights reserved

Drawing No. 48095-Q50-11
April 2012
Rev. 02

PowerPact™ H-, J-, and L-Frame Circuit Breakers


Trip Curves

Figure 96: J-Frame UL Listed Current -Limiting Circuit Breaker



PowerPact™ H-, J-, and L-Frame Circuit Breakers Trip Curves

Figure 97: J-Frame UL Listed Current-Limiting Circuit Breaker




Schneider
Electric

© 2012 Schneider Electric all rights reserved

Drawing No. 48095-050-13
April 2012
Rev. 02

PowerPact™ H-, J-, and L-Frame Circuit Breakers
Trip Curves


Figure 131: L-Frame 600 A Typical Peak Let-Through Curves



PowerPact™ H-, J-, and L-Frame Circuit Breakers Trip Curves


Figure 132: L-Frame 600 A Typical I^2t Let-Through Curves

ELECTRONIC MOLDED CASE CIRCUIT BREAKERS
POWERPACT™ L-FRAME CURRENT LIMITING CIRCUIT BREAKERS
600 A FRAME AT 240, 480 AND 600 V, 3Ø
LD, LG, LJ, LL AND LR 250–600 A
LET-THROUGH I^2t



PowerPact™ H-, J-, and L-Frame Circuit Breakers Trip Curves

Figure 133: L-Frame UL Listed Current-Limiting Circuit Breaker



PowerPact™ H-, J-, and L-Frame Circuit Breakers Trip Curves

Figure 134: L-Frame UL Listed Current-Limiting Circuit Breaker




Figure 135: L-Frame Circuit Breaker Reflex Tripping

