

Energy Efficiency Certificate



Drive efficiency according to IEC/EN 61800-9-2 (supersedes EN 50598-2)

Altivar Machine ATV340

function of :

Minimum Mains voltage

Maximum Mains voltage

Normal Duty

Heavy Duty

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U07N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **0,75 kW / 1 HP**
Overload : **Heavy Duty**
Nominal current : **2,2 A**
Nominal apparent power : **1,4 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **15 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U15N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **1,5 kW / 2 HP**
Overload : **Heavy Duty**
Nominal current : **4 A**
Nominal apparent power : **2,6 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **15 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U22N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **2,2 kW / 3 HP**
Overload : **Heavy Duty**
Nominal current : **5,6 A**
Nominal apparent power : **3,7 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **15 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U30N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **3 kW / - HP**
Overload : **Heavy Duty**
Nominal current : **7,2 A**
Nominal apparent power : **4,7 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **15 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U40N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **4 kW / 5 HP**
Overload : **Heavy Duty**
Nominal current : **9,3 A**
Nominal apparent power : **6,1 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **15 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U55N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **5,5 kW / 7 HP**
Overload : **Heavy Duty**
Nominal current : **12,7 A**
Nominal apparent power : **8,4 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **15 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U75N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **7,5 kW / 10 HP**
Overload : **Heavy Duty**
Nominal current : **16,5 A**
Nominal apparent power : **10,9 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **15 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D11N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **11 kW / 15 HP**
Overload : **Heavy Duty**
Nominal current : **24 A**
Nominal apparent power : **15,8 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **17 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D15N4(E)**

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 15 kW / 20 HP
Overload : Heavy Duty
Nominal current : 32 A
Nominal apparent power : 21,1 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 17 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D18N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **18,5 kW / 25 HP**
Overload : **Heavy Duty**
Nominal current : **39 A**
Nominal apparent power : **25,7 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **17 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D22N4(E)**

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 22 kW / 30 HP
Overload : Heavy Duty
Nominal current : 46 A
Nominal apparent power : 30,3 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 17 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D30N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 30 kW / 40 HP
Overload : Heavy Duty
Nominal current : 61,5 A
Nominal apparent power : 40,5 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 31 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D37N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 37 kW / 50 HP
Overload : Heavy Duty
Nominal current : 74,5 A
Nominal apparent power : 49 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 31 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D45N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 45 kW / 60 HP
Overload : Heavy Duty
Nominal current : 88 A
Nominal apparent power : 57,9 kVA
Nominal frequency : 50 Hz



Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D55N4E**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **55 kW / 75 HP**
Overload : **Heavy Duty**
Nominal current : **106 A**
Nominal apparent power : **69,8 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **32 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D75N4E**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 380 VAC**
Nominal power : **75 kW / 100 HP**
Overload : **Heavy Duty**
Nominal current : **145 A**
Nominal apparent power : **95,4 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **32 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340U07N4(E)
+VW3A4551

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 1,1 kW / 1,5 HP
Overload : Normal Duty
Nominal current : 2,8 A
Nominal apparent power : 1,8 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 15 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



ATV340U07N4(E)
+VW3A4551_3x380ND

Life Is On

Schneider
Electric

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U15N4(E)**
+VW3A4552

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 2,2 kW / 3 HP
Overload : Normal Duty
Nominal current : 5,6 A
Nominal apparent power : 3,7 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 15 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340U22N4(E)
+VW3A4552

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 3 kW / - HP
Overload : Normal Duty
Nominal current : 7,2 A
Nominal apparent power : 4,7 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 15 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



ATV340U22N4(E)
+VW3A4552_3x380ND

Life Is On

Schneider
Electric

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U30N4(E)**
+VW3A4552

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 4 kW / 5 HP
Overload : Normal Duty
Nominal current : 9,3 A
Nominal apparent power : 6,1 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 15 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U40N4(E)**
+VW3A4553

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 5,5 kW / 7 HP
Overload : Normal Duty
Nominal current : 12,7 A
Nominal apparent power : 8,4 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 15 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



ATV340U40N4(E)
+VW3A4553_3x380ND

Life Is On

Schneider
Electric

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U55N4(E)**
+VW3A4553

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 7,5 kW / 10 HP
Overload : Normal Duty
Nominal current : 16,5 A
Nominal apparent power : 10,9 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 15 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



ATV340U55N4(E)
+VW3A4553_3x380ND

Life Is On

Schneider
Electric

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U75N4(E)**
+VW3A4554

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 11 kW / 15 HP
Overload : Normal Duty
Nominal current : 24 A
Nominal apparent power : 15,8 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 15 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D11N4(E)**
+VW3A4554

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 15 kW / 20 HP
Overload : Normal Duty
Nominal current : 32 A
Nominal apparent power : 21,1 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 17 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D15N4(E)**
+VW3A4555

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 18,5 kW / 25 HP
Overload : Normal Duty
Nominal current : 39 A
Nominal apparent power : 25,7 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 17 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



ATV340D15N4(E)
+VW3A4555_3x380ND

Life Is On

Schneider
Electric

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D18N4(E)**
+VW3A4555

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 22 kW / 30 HP
Overload : Normal Duty
Nominal current : 46 A
Nominal apparent power : 30,3 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 17 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D22N4(E)**
+VW3A4556

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 30 kW / 40 HP
Overload : Normal Duty
Nominal current : 62 A
Nominal apparent power : 40,8 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 17 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D30N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 37 kW / 50 HP
Overload : Normal Duty
Nominal current : 74,5 A
Nominal apparent power : 49 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 31 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D37N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 45 kW / 60 HP
Overload : Normal Duty
Nominal current : 88 A
Nominal apparent power : 57,9 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 31 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340D45N4E

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 55 kW / 75 HP
Overload : Normal Duty
Nominal current : 106 A
Nominal apparent power : 69,8 kVA
Nominal frequency : 50 Hz



Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340D55N4E

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 75 kW / 100 HP
Overload : Normal Duty
Nominal current : 145 A
Nominal apparent power : 95,4 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D75N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 380 VAC
Nominal power : 90 kW / 125 HP
Overload : Normal Duty
Nominal current : 173 A
Nominal apparent power : 113,9 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U07N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **0,75 kW / 1 HP**
Overload : **Heavy Duty**
Nominal current : **2,2 A**
Nominal apparent power : **1,8 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **16 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U15N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **1,5 kW / 2 HP**
Overload : **Heavy Duty**
Nominal current : **4 A**
Nominal apparent power : **3,3 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **16 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U22N4(E)**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 2,2 kW / 3 HP
Overload : Heavy Duty
Nominal current : 5,6 A
Nominal apparent power : 4,7 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340U30N4(E)

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 3 kW / - HP
Overload : Heavy Duty
Nominal current : 7,2 A
Nominal apparent power : 6 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U40N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **4 kW / 5 HP**
Overload : **Heavy Duty**
Nominal current : **9,3 A**
Nominal apparent power : **7,7 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **16 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U55N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **5,5 kW / 7 HP**
Overload : **Heavy Duty**
Nominal current : **12,7 A**
Nominal apparent power : **10,6 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **16 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U75N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **7,5 kW / 10 HP**
Overload : **Heavy Duty**
Nominal current : **16,5 A**
Nominal apparent power : **13,7 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **16 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D11N4(E)**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 11 kW / 15 HP
Overload : Heavy Duty
Nominal current : 24 A
Nominal apparent power : 20 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 19 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D15N4(E)**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 15 kW / 20 HP
Overload : Heavy Duty
Nominal current : 32 A
Nominal apparent power : 26,6 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 19 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D18N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **18,5 kW / 25 HP**
Overload : **Heavy Duty**
Nominal current : **39 A**
Nominal apparent power : **32,4 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **19 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D22N4(E)**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **22 kW / 30 HP**
Overload : **Heavy Duty**
Nominal current : **46 A**
Nominal apparent power : **38,2 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **19 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340D30N4E

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 30 kW / 40 HP
Overload : Heavy Duty
Nominal current : 61,5 A
Nominal apparent power : 51,1 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 33 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D37N4E**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **37 kW / 50 HP**
Overload : **Heavy Duty**
Nominal current : **74,5 A**
Nominal apparent power : **61,9 kVA**
Nominal frequency : **50 Hz**




Efficiency data for the Drive

Standby losses : **33 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D45N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 45 kW / 60 HP
Overload : Heavy Duty
Nominal current : 88 A
Nominal apparent power : 73,2 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D55N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 55 kW / 75 HP
Overload : Heavy Duty
Nominal current : 106 A
Nominal apparent power : 88,1 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340D75N4E

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 75 kW / 100 HP
Overload : Heavy Duty
Nominal current : 145 A
Nominal apparent power : 120,6 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U07N4(E)**
+VW3A4551

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 1,1 kW / 1,5 HP
Overload : Normal Duty
Nominal current : 2,8 A
Nominal apparent power : 2,3 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U15N4(E)**
+VW3A4552

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 2,2 kW / 3 HP
Overload : Normal Duty
Nominal current : 5,6 A
Nominal apparent power : 4,7 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



ATV340U15N4(E)
+VW3A4552_3x480ND

Life Is On

Schneider
Electric

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340U22N4(E)
+VW3A4552

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 3 kW / - HP
Overload : Normal Duty
Nominal current : 7,2 A
Nominal apparent power : 6 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340U30N4(E)
+VW3A4552

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 4 kW / 5 HP
Overload : Normal Duty
Nominal current : 9,3 A
Nominal apparent power : 7,7 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U40N4(E)**
+VW3A4553

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 5,5 kW / 7 HP
Overload : Normal Duty
Nominal current : 12,7 A
Nominal apparent power : 10,6 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



ATV340U40N4(E)
+VW3A4553_3x480ND

Life Is On

Schneider
Electric

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U55N4(E)**
+VW3A4553

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 7,5 kW / 10 HP
Overload : Normal Duty
Nominal current : 16,5 A
Nominal apparent power : 13,7 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340U75N4(E)**
+VW3A4554

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 11 kW / 15 HP
Overload : Normal Duty
Nominal current : 24 A
Nominal apparent power : 20 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 16 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D11N4(E)**
+VW3A4554

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 15 kW / 20 HP
Overload : Normal Duty
Nominal current : 32 A
Nominal apparent power : 26,6 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 19 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



ATV340D11N4(E)
+VW3A4554_3x480ND

Life Is On

Schneider
Electric

Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D15N4(E)**
+VW3A4555

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 18,5 kW / 25 HP
Overload : Normal Duty
Nominal current : 39 A
Nominal apparent power : 32,4 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 19 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2

Reference :


ATV340D18N4(E)
+VW3A4555

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 22 kW / 30 HP
Overload : Normal Duty
Nominal current : 46 A
Nominal apparent power : 38,2 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 19 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D22N4(E)**
+VW3A4556

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 30 kW / 40 HP
Overload : Normal Duty
Nominal current : 62 A
Nominal apparent power : 51,5 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 19 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D30N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 37 kW / 50 HP
Overload : Normal Duty
Nominal current : 74,5 A
Nominal apparent power : 61,9 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 33 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D37N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 45 kW / 60 HP
Overload : Normal Duty
Nominal current : 88 A
Nominal apparent power : 73,2 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 33 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D45N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 55 kW / 75 HP
Overload : Normal Duty
Nominal current : 106 A
Nominal apparent power : 88,1 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D55N4E**

Series : AltivarMachine ATV340
Nominal voltage : 3x 480 VAC
Nominal power : 75 kW / 100 HP
Overload : Normal Duty
Nominal current : 145 A
Nominal apparent power : 120,6 kVA
Nominal frequency : 50 Hz




Efficiency data for the Drive

Standby losses : 32 W



Efficiency data for the Drive + motor (standard IE2 reference motor)



Energy Efficiency Certificate



Drive efficiency according to EN 50598-2


Reference : **ATV340D75N4E**

Series : **AltivarMachine ATV340**
Nominal voltage : **3x 480 VAC**
Nominal power : **90 kW / 125 HP**
Overload : **Normal Duty**
Nominal current : **173 A**
Nominal apparent power : **143,8 kVA**
Nominal frequency : **50 Hz**



Efficiency data for the Drive

Standby losses : **32 W**



Efficiency data for the Drive + motor (standard IE2 reference motor)

