



APC Easy UPS 1 Ph Online Standard Model - Run Time Chart

For IT professionals in small to medium businesses, EasyUPS Online helps to provide basic power protection for unstable power conditions, ensuring consistent and reliable connectivity at the most critical moments.

APC Easy UPS Online is a versatile, high quality, cost competitive UPS developed to handle a wide voltage range, and inconsistent power conditions; delivering the quality, millions of IT professionals trust around the world. That's Certainty in a Connected World.



www.apc.com

Life Is 

APC[™]
by Schneider Electric

SKU	VA	Watts (W)	Load in Watts				
			200	400	600	Full Load	Half Load
SRV1KA	1000	800	24 min	11min	6min	4min	11min
SRV1KA-BR	1000	800	24 min	11min	6min	4min	11min
SRV1KA-TW	1000	800	24 min	11min	6min	4min	11min
SRV1KI	1000	800	24 min	11min	6min	4min	11min
SRV1KI-AR	1000	800	24 min	11min	6min	4min	11min
SRV1KI-BR	1000	800	24 min	11min	6min	4min	11min
SRV1KI-TW	1000	800	24 min	11min	6min	4min	11min
SRV1KRA	1000	800	24 min	11min	6min	4min	11min
SRV1KRARK	1000	800	24 min	11min	6min	4min	11min
SRV1KRI	1000	800	24 min	11min	6min	4min	11min
SRV1KRI-AR	1000	800	24 min	11min	6min	4min	11min
SRV1KRI-BR	1000	800	24 min	11min	6min	4min	11min
SRV1KRIRK	1000	800	24 min	11min	6min	4min	11min
SRV1KRIRK-AR	1000	800	24 min	11min	6min	4min	11min
SRV1KRIRK-BR	1000	800	24 min	11min	6min	4min	11min
SKU	VA	Watts (W)	Load in Watts				
			400	800	1200	Full Load	Half Load
SRV2KA	2000	1600	26min	12min	6.5min	4min	12min
SRV2KA-BR	2000	1600	26min	12min	6.5min	4min	12min
SRV2KA-TW	2000	1600	26min	12min	6.5min	4min	12min
SRV2KI	2000	1600	26min	12min	6.5min	4min	12min
SRV2KI-AR	2000	1600	26min	12min	6.5min	4min	12min
SRV2KI-BR	2000	1600	26min	12min	6.5min	4min	12min
SRV2KI-TW	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRA	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRARK	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRA-TW	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRI	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRI-AR	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRI-BR	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRIRK	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRIRK-AR	2000	1600	26min	12min	6.5min	4min	12min
SRV2KRIRK-BR	2000	1600	26min	12min	6.5min	4min	12min

Life Is On

SKU	VA	Watts (W)	Load in Watts				
			600	1200	1800	Full Load	Half Load
SRV3KA	3000	2400	31min	13min	7min	4min	13min
SRV3KA-BR	3000	2400	31min	13min	7min	4min	13min
SRV3KA-TW	3000	2400	31min	13min	7min	4min	13min
SRV3KI	3000	2400	31min	13min	7min	4min	13min
SRV3KI-AR	3000	2400	31min	13min	7min	4min	13min
SRV3KI-BR	3000	2400	31min	13min	7min	4min	13min
SRV3KI-TW	3000	2400	31min	13min	7min	4min	13min
SRV3KRA	3000	2400	31min	13min	7min	4min	13min
SRV3KRARK	3000	2400	31min	13min	7min	4min	13min
SRV3KRA-TW	3000	2400	31min	13min	7min	4min	13min
SRV3KRI	3000	2400	31min	13min	7min	4min	13min
SRV3KRI-AR	3000	2400	31min	13min	7min	4min	13min
SRV3KRI-BR	3000	2400	31min	13min	7min	4min	13min
SRV3KRIRK	3000	2400	31min	13min	7min	4min	13min
SRV3KRIRK-AR	3000	2400	31min	13min	7min	4min	13min
SRV3KRIRK-BR	3000	2400	31min	13min	7min	4min	13min
SRV3KRI-TW	3000	2400	31min	13min	7min	4min	13min
SKU	VA	Watts (W)	Load in Watts				
			1500	3000	4500	Full Load	Half Load
SRV6KI	6000	6000	27min	12.5min	6.5min	4min	12.5min
SRV6KI-TW	6000	6000	27min	12.5min	6.5min	4min	12.5min
SRV6KRI	6000	6000	27min	12.5min	6.5min	4min	12.5min
SRV6KRIRK	6000	6000	27min	12.5min	6.5min	4min	12.5min
SRV6KRI-TW	6000	6000	27min	12.5min	6.5min	4min	12.5min
SKU	VA	Watts (W)	Load in Watts				
			2500	5000	7500	Full Load	Half Load
SRV10KI	10000	10000	21min	10min	5min	3min	10min
SRV10KI-TW	10000	10000	21min	10min	5min	3min	10min
SRV10KRI	10000	10000	21min	10min	5min	3min	10min
SRV10KRIRK	10000	10000	21min	10min	5min	3min	10min
SRV10KRI-TW	10000	10000	21min	10min	5min	3min	10min



APC Easy UPS 1 Ph Online Long Model - Run Time Chart

For IT professionals in small to medium businesses, EasyUPS Online helps to provide basic power protection for unstable power conditions, ensuring consistent and reliable connectivity at the most critical moments.

APC Easy UPS Online is a versatile, high quality, cost competitive UPS developed to handle a wide voltage range, and inconsistent power conditions; delivering the quality, millions of IT professionals trust around the world. That's Certainty in a Connected World.



www.apc.com

Life Is 

APC[™]
by Schneider Electric

SKU	VA	Watts (W)	Load in Watts						
			200	400	560	640	720	Full Load	Half Load
SRV1KIL (SRVPM1KIL + (1)SRV36BP-9A)	1000	800	110min	48min	32min	27min	23min	21min	48min
SRV1KIL + (1)SRV36BP-9A	1000	800	241min	109min	75min	64min	55min	51min	109min
SRV1KIL + (2)SRV36BP-9A	1000	800	370min	177min	122min	104min	91min	84min	177min
SRV1KIL + (3)SRV36BP-9A	1000	800	510min	249min	169min	145min	127min	118min	249min
SRV1KIL + (4)SRV36BP-9A	1000	800	640min	311min	216min	187min	164min	155min	311min
SRV1KIL-AR SRVPM1KIL-AR + (1)SRV36BP-9A	1000	800	110min	48min	32min	27min	23min	21min	48min
SRV1KIL-AR + (1)SRV36BP-9A	1000	800	241min	109min	75min	64min	55min	51min	109min
SRV1KIL-AR + (2)SRV36BP-9A	1000	800	370min	177min	122min	104min	91min	84min	177min
SRV1KIL-AR + (3)SRV36BP-9A	1000	800	510min	249min	169min	145min	127min	118min	249min
SRV1KIL-AR + (4)SRV36BP-9A	1000	800	640min	311min	216min	187min	164min	155min	311min
SRV1KIL-BR SRVPM1KIL-BR + (1)SRV36BP-9A	1000	800	110min	48min	32min	27min	23min	21min	48min
SRV1KIL-BR + (1)SRV36BP-9A	1000	800	241min	109min	75min	64min	55min	51min	109min
SRV1KIL-BR + (2)SRV36BP-9A	1000	800	370min	177min	122min	104min	91min	84min	177min
SRV1KIL-BR + (3)SRV36BP-9A	1000	800	510min	249min	169min	145min	127min	118min	249min
SRV1KIL-BR + (4)SRV36BP-9A	1000	800	640min	311min	216min	187min	164min	155min	311min
SKU	VA	Watts (W)	Load in Watts						
			400	800	1120	1280	1440	Full Load	Half Load
SRV2KIL SRVPM2KIL + (1)SRV72BP-9A	2000	1600	112min	48min	32min	27min	23min	22min	48min
SRV2KIL + (1)SRV72BP-9A	2000	1600	245min	141min	75min	64min	55min	52min	141min
SRV2KIL + (2)SRV72BP-9A	2000	1600	379min	190min	122min	104min	91min	86min	190min
SRV2KIL + (3)SRV72BP-9A	2000	1600	513min	244min	169min	145min	127min	122min	244min
SRV2KIL + (4)SRV72BP-9A	2000	1600	647min	312min	216min	187min	168min	159min	312min
SRV2KIL-AR SRVPM2KIL-AR + (1)SRV72BP-9A	2000	1600	112min	48min	32min	27min	23min	22min	48min
SRV2KIL-AR + (1)SRV72BP-9A	2000	1600	245min	141min	75min	64min	55min	52min	141min
SRV2KIL-AR + (2)SRV72BP-9A	2000	1600	379min	190min	122min	104min	91min	86min	190min
SRV2KIL-AR + (3)SRV72BP-9A	2000	1600	513min	244min	169min	145min	127min	122min	244min
SRV2KIL-AR + (4)SRV72BP-9A	2000	1600	647min	312min	216min	187min	168min	159min	312min
SRV2KIL-BR SRVPM2KIL-BR + (1)SRV72BP-9A	2000	1600	112min	48min	32min	27min	23min	22min	48min
SRV2KIL-BR + (1)SRV72BP-9A	2000	1600	245min	141min	75min	64min	55min	52min	141min
SRV2KIL-BR + (2)SRV72BP-9A	2000	1600	379min	190min	122min	104min	91min	86min	190min
SRV2KIL-BR + (3)SRV72BP-9A	2000	1600	513min	244min	169min	145min	127min	122min	244min
SRV2KIL-BR + (4)SRV72BP-9A	2000	1600	647min	312min	216min	187min	168min	159min	312min

SKU	VA	Watts (W)	Load in Watts						
			600	1200	1680	1920	2160	Full Load	Half Load
SRV3KIL SRVPM3KIL + (1)SRV72BP-9A	3000	2400	62min	28min	19min	16min	14min	13min	28min
SRV3KIL + (1)SRV72BP-9A	3000	2400	146min	74min	46min	39min	33min	33min	74min
SRV3KIL + (2)SRV72BP-9A	3000	2400	235min	116min	75min	64min	56min	54min	116min
SRV3KIL + (3)SRV72BP-9A	3000	2400	320min	167min	106min	91min	69min	76min	167min
SRV3KIL + (4)SRV72BP-9A	3000	2400	410min	210min	137min	118min	104min	100min	210min
SRV3KIL-AR SRVPM3KIL-AR + (1)SRV72BP-9A	3000	2400	62min	28min	19min	16min	14min	13min	28min
SRV3KIL-AR + (1)SRV72BP-9A	3000	2400	146min	74min	46min	39min	33min	33min	74min
SRV3KIL-AR + (2)SRV72BP-9A	3000	2400	235min	116min	75min	64min	56min	54min	116min
SRV3KIL-AR + (3)SRV72BP-9A	3000	2400	320min	167min	106min	91min	69min	76min	167min
SRV3KIL-AR + (4)SRV72BP-9A	3000	2400	410min	210min	137min	118min	104min	100min	210min
SRV3KIL-BR SRVPM3KIL-BR + (1)SRV72BP-9A	3000	2400	62min	28min	19min	16min	14min	13min	28min
SRV3KIL-BR + (1)SRV72BP-9A	3000	2400	146min	74min	46min	39min	33min	33min	74min
SRV3KIL-BR + (2)SRV72BP-9A	3000	2400	235min	116min	75min	64min	56min	54min	116min
SRV3KIL-BR + (3)SRV72BP-9A	3000	2400	320min	167min	106min	91min	69min	76min	167min
SRV3KIL-BR + (4)SRV72BP-9A	3000	2400	410min	210min	137min	118min	104min	100min	210min
SKU	VA	Watts (W)	Load in Watts						
			1500	3000	4200	4800	5400	Full Load	Half Load
SRV6KIL SRVPM6KIL + (1)SRV240BP-9A	6000	6000	39min	17min	10min	9min	7min	6min	17min
SRV6KIL + (1)SRV240BP-9A	6000	6000	91min	39min	26min	22min	19min	17min	39min
SRV6KIL + (2)SRV240BP-9A	6000	6000	147min	64min	43min	36min	31min	28min	64min
SRV6KIL + (3)SRV240BP-9A	6000	6000	206min	91min	60min	51min	45min	39min	91min
SRV6KIL + (4)SRV240BP-9A	6000	6000	266min	119min	79min	67min	58min	51min	119min
SRV6KRIL SRVPM6KRIL + (1)SRV240RBP-9A	6000	6000	39min	17min	10min	9min	7min	6min	17min
SRV6KRIL + (1)SRV240RBP-9A	6000	6000	91min	39min	26min	22min	19min	17min	39min
SRV6KRIL + (2)SRV240RBP-9A	6000	6000	147min	64min	43min	36min	31min	28min	64min
SRV6KRIL + (3)SRV240RBP-9A	6000	6000	206min	91min	60min	51min	45min	39min	91min
SRV6KRIL + (4)SRV240RBP-9A	6000	6000	266min	119min	79min	67min	58min	51min	119min
SRV6KRILRK SRVPM6KRIL+ (1)SRV240RBP-9A+ (1)SRVRK1+ (1)SRVRK2)	6000	6000	39min	17min	10min	9min	7min	6min	17min
SRV6KRILRK + (1)SRV240RBP-9A	6000	6000	91min	39min	26min	22min	19min	17min	39min
SRV6KRILRK + (2)SRV240RBP-9A	6000	6000	147min	64min	43min	36min	31min	28min	64min
SRV6KRILRK + (3)SRV240RBP-9A	6000	6000	206min	91min	60min	51min	45min	39min	91min
SRV6KRILRK + (4)SRV240RBP-9A	6000	6000	266min	119min	79min	67min	58min	51min	119min

SKU	VA	Watts (W)	Load in Watts						
			1500	3000	4200	4800	5400	Full Load	Half Load
SRV6KRIL-TW SRVPM6KRIL-TW + (1)SRV240RBP-9A	6000	6000	39min	17min	10min	9min	7min	6min	17min
SRV6KRIL-TW + (1)SRV240RBP-9A	6000	6000	91min	39min	26min	22min	19min	17min	39min
SRV6KRIL-TW + (2)SRV240RBP-9A	6000	6000	147min	64min	43min	36min	31min	28min	64min
SRV6KRIL-TW + (3)SRV240RBP-9A	6000	6000	206min	91min	60min	51min	45min	39min	91min
SRV6KRIL-TW + (4)SRV240RBP-9A	6000	6000	266min	119min	79min	67min	58min	51min	119min
SKU	VA	Watts (W)	Load in Watts						
			2500	5000	7000	8000	9000	Full Load	Half Load
SRV10KIL SRVPM10KIL + (1)SRV240BP-9A	10000	10000	21min	8min	5min	4min	3min	2min	8min
SRV10KIL + (1)SRV240BP-9A	10000	10000	49min	21min	13min	11min	9min	8min	21min
SRV10KIL + (2)SRV240BP-9A	10000	10000	80min	34min	23min	19min	17min	15min	34min
SRV10KIL + (3)SRV240BP-9A	10000	10000	113min	49min	32min	28min	24min	21min	49min
SRV10KIL + (4)SRV240BP-9A	10000	10000	147min	64min	43min	36min	31min	28min	64min
SRV10KRIL SRVPM10KRIL + (1)SRV240RBP-9A	10000	10000	21min	8min	5min	4min	3min	2min	8min
SRV10KRIL + (1)SRV240RBP-9A	10000	10000	49min	21min	13min	11min	9min	8min	21min
SRV10KRIL + (2)SRV240RBP-9A	10000	10000	80min	34min	23min	19min	17min	15min	34min
SRV10KRIL + (3)SRV240RBP-9A	10000	10000	113min	49min	32min	28min	24min	21min	49min
SRV10KRIL + (4)SRV240RBP-9A	10000	10000	147min	64min	43min	36min	31min	28min	64min
SRV10KRILRK SRVPM10KRIL + (1)SRV240RBP-9A+ (1)SRVRK1+ (1)SRVRK2)	10000	10000	21min	8min	5min	4min	3min	2min	8min
SRV10KRILRK + (1)SRV240RBP-9A	10000	10000	49min	21min	13min	11min	9min	8min	21min
SRV10KRILRK + (2)SRV240RBP-9A	10000	10000	80min	34min	23min	19min	17min	15min	34min
SRV10KRILRK + (3)SRV240RBP-9A	10000	10000	113min	49min	32min	28min	24min	21min	49min
SRV10KRILRK + (4)SRV240RBP-9A	10000	10000	147min	64min	43min	36min	31min	28min	64min
SRV10KRIL-TW SRVPM10KRIL-TW+ (1)SRV240RBP- 9A+ (1)SRVRK1+ (1)SRVRK2)	10000	10000	21min	8min	5min	4min	3min	2min	8min
SRV10KRIL-TW + (1)SRV240RBP-9A	10000	10000	49min	21min	13min	11min	9min	8min	21min
SRV10KRIL-TW + (2)SRV240RBP-9A	10000	10000	80min	34min	23min	19min	17min	15min	34min
SRV10KRIL-TW + (3)SRV240RBP-9A	10000	10000	113min	49min	32min	28min	24min	21min	49min
SRV10KRIL-TW + (4)SRV240RBP-9A	10000	10000	147min	64min	43min	36min	31min	28min	64min

Life Is On

