

## SECTION 1: IDENTIFICATION

### 1.1 Product identifier:

|                                                 |                                                                                                                                                                                  |
|-------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product name:</b>                            | Rechargeable Lithium Ion Battery                                                                                                                                                 |
| <b>Other names:</b>                             | APC Lithium-Ion Battery Pack, APC Rechargeable Battery Cartridge                                                                                                                 |
| <b>Model Numbers:</b>                           | SRVL48RMBP2U, SRVL48RMBP3U                                                                                                                                                       |
| <b>Country</b>                                  | USA/Canada                                                                                                                                                                       |
| <b>Product type:</b>                            | Battery pack is a manufactured article consisting of a plastic and metal sealed case containing electronics and cylindrical lithium-ion battery/cells.<br>Physical State: Solid. |
| <b>Picture:</b><br>SRVL48RMBP2U<br>SRVL48RMBP3U |                                                                                               |

### 1.2 Identified uses.

Relevant identified use(s): Electric Storage Battery Use(s)  
advised against: Transportation.

### 1.3 Manufacturer

|                               |                                                                                                                           |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Supplier/Manufacturer:</b> | Schneider Electric IT USA, Schneider Electric IT Corp., (formerly APC by Schneider Electric, APC Sales and Service Corp.) |
| <b>Address:</b>               | 70 Mechanic St Foxboro, MA 02035 United States                                                                            |
| <b>Telephone:</b>             | +1 800-788-2208 or +1 401-789-5735                                                                                        |
| <b>E-mail:</b>                | <a href="http://nam-en.apc.com/app/ask">http://nam-en.apc.com/app/ask</a>                                                 |
| <b>Website:</b>               | <a href="http://www.APC.com">www.APC.com</a>                                                                              |

### 1.4 Emergency telephone number (with hours of operation)

For all Service, Technical Support and Emergency Inquires.  
800-255-3924 USA and 1-813-248-0585 International

## SECTION 2: HAZARDS IDENTIFICATION

### GHS Classification Categories/OSHA Status/HCS

While this material is not considered hazardous by OSHA Categories or OSHA Hazard Communication Standard (29 CFR 1910.1200), this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for available for employees and other users of this product.

A battery is considered an article per GHS guidelines and should not be considered dangerous unless it is in a broken condition.

Carcinogenicity (NTP): Not listed.  
Carcinogenicity (IARC): Not listed.  
Carcinogenicity (OSHA): Not listed.

### 2.1 Classification of the substance or mixture:

Not classified

### 2.2 GHS label elements:

Hazard Pictogram: None  
Signal word: None  
Hazard statements: No known significant effects or critical hazards.

### Precautionary statements

|                    |                |
|--------------------|----------------|
| <b>Prevention:</b> | Not applicable |
| <b>Response</b>    | Not applicable |
| <b>Storage</b>     | Not applicable |
| <b>Disposal</b>    | Not applicable |

|                                |                                                                                     |                             |                                |                |                                |
|--------------------------------|-------------------------------------------------------------------------------------|-----------------------------|--------------------------------|----------------|--------------------------------|
| Protective Clothing            | NFPA Rating                                                                         | EC classification           | WHMIS (Canada)                 | Transportation | GHS Hazard Symbol              |
| Not Applicable with normal use |  | Not classified as hazardous | Not Applicable with normal use | See Section 14 | Not Applicable with normal use |

### Hazards not otherwise classified (HNOC)

Physical hazards not otherwise classified (PHNOC): See Section 10

Health hazards not otherwise classified (HHNOC): See Section 11

Environmental hazards: See Section 12

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

**Substance/Mixture:** Mixture.

| Product/ingredient name | Identifiers | Weight % |
|-------------------------|-------------|----------|
|-------------------------|-------------|----------|

|                                         |            |        |
|-----------------------------------------|------------|--------|
| Lithium iron phosphate carbon coated    | 15365-14-7 | 31.13% |
| Aluminum                                | 7429-90-5  | 18.14% |
| Polypropylene                           | 9003-07-0  | 3.26%  |
| Copper                                  | 7440-50-8  | 7.7%   |
| Lithium Hexafluorophosphate(LiPF6)      | 21324-40-3 | 2.6%   |
| Graphite                                | 7782-42-5  | 16.29% |
| Vinylene Carbonate                      | 96-49-1    | 17.4%  |
| Boehmite                                | 1318-23-6  | 0.26%  |
| Carbon-Black                            | 1333-86-4  | 0.89%  |
| Styrene-Butadiene Rubber (SBR)          | 9003-55-8  | 0.35%  |
| Polyvinylidene Fluoride                 | 24937-79-9 | 0.74%  |
| Sodium Carboxymethyl Cellulose (CMC-Na) | 9004-32-4  | 0.25%  |
| Polyethylene Terephthalate (PET)        | 25038-59-9 | 0.06%  |
| Ethyl Methyl Carbonate                  | 623-53-0   | 0.03%  |
| Other                                   | --         | 0.9%   |

## SECTION 4: FIRST AID MEASURES

### General information

Once battery shell rupture, content contact with the human body will produce harm, once contact, should take the following emergency measures.

#### 4.1 Description of necessary first aid measures

|                     |                                                                                                                                                            |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid if irritation persists.         |
| <b>Inhalation</b>   | Remove from exposure and move to fresh air immediately. Use oxygen if available.                                                                           |
| <b>Skin contact</b> | Remove contaminated clothes and shoes. Immediately wash with water and soap and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. |
| <b>Ingestion</b>    | Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician                                                  |

#### 4.2 Most important symptoms and effects, both acute and delayed Potential acute health effects

|                     |                   |
|---------------------|-------------------|
| <b>Eye contact</b>  | No data available |
| <b>Inhalation</b>   | No data available |
| <b>Skin contact</b> | No data available |
| <b>Ingestion</b>    | No data available |

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

|                                   |                                                                                   |
|-----------------------------------|-----------------------------------------------------------------------------------|
| <b>Notes to physician</b>         | none                                                                              |
| <b>Specific treatments</b>        | No specific treatment                                                             |
| <b>Protection of first-aiders</b> | No action shall be taken involving any personal risk or without suitable training |

See toxicological information (Section 11)

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing media

|                                                   |                                                                                                  |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>               | Water, CO2                                                                                       |
| <b>Unsuitable extinguishing media</b>             | None Known.                                                                                      |
| <b>Specific hazards arising from the chemical</b> | Battery may burst and release hazardous decomposition products when exposed to a fire situation. |

|                                                       |                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hazards thermal decomposition products</b>         | Carbon monoxide, carbon dioxide, lithium oxide fumes.                                                                                                                                                                                                                                                    |
| <b>Special protective actions for fire-fighters</b>   | Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature, when damaged or abused (e.g., mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in close proximity. |
| <b>Special protective equipment for fire-fighters</b> | Self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will only provide limited protection.                                                                                                                                                                             |

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

|                                    |                                                                                                                                                                                                                      |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>For non-emergency personnel</b> | Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact.                                                                                                          |
| <b>For emergency responders</b>    | Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Keep unauthorized personnel away. Wear adequate personal protective equipment as indicated in Section 8. |
| <b>Environmental precautions</b>   | Do not discharge into the drains/surface waters/groundwater.                                                                                                                                                         |

### 6.2 Methods and materials for containment and cleaning up

Methods and materials for containment and cleaning up:

For all waste handling must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Protective measures</b>     | Put on appropriate personal protective equipment (see Section 8).                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Advice on safe handling</b> | Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble. Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. |

|                                                                     |                                                                                                       |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Conditions for safe storage, including any incompatibilities</b> | Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight. |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

#### United States Occupational exposure limits / Canada

None. Airborne exposures to hazardous substances are not expected when the cells or batteries are used for their intended purposes. Exposure standards are not applicable to the sealed articles.

|                                         |                                                                                                                                                              |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Appropriate engineering controls</b> | Special ventilation is not required when using these products in normal use scenarios. Ventilation is required if there is leakage from the cell or battery. |
| <b>Environmental exposure controls</b>  | No specific precautions necessary.                                                                                                                           |

### Individual protection measures

|                               |                                                                                                                                                                                                                                                           |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hygiene measures</b>       | When using do not eat, drink or smoke. Wash hands before breaks and after work. Have a safety shower or eye wash station readily available                                                                                                                |
| <b>Eye/face protection</b>    | Eye protection is not required when handling cells or batteries during normal use. Wear safety glasses/goggles if handling a leaking or ruptured cell or battery.                                                                                         |
| <b>Hand protection</b>        | Hand protection is not required when handling the cell or battery during normal use. PVC gloves are recommended when dealing with a leaking or ruptured cell or battery.                                                                                  |
| <b>Body protection</b>        | No specific precautions necessary.                                                                                                                                                                                                                        |
| <b>Other skin protection</b>  | Skin protection is not required when handling the cell or battery during normal use. Wear long sleeved clothing to avoid skin contact if handling a leaking or ruptured cell or battery. Soiled clothing should be washed with detergent prior to re-use. |
| <b>Respiratory protection</b> | During routine operation, a respirator is not required. However, if dealing with an electrolyte leakage and irritating vapors are generated, an approved half face inorganic vapor and gas/acid/particulate respirator is required.                       |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

|                                              |                                                      |
|----------------------------------------------|------------------------------------------------------|
| Physical state                               | Solid                                                |
| Color                                        | Various                                              |
| Odor                                         | If leaking, smells of medical ether.                 |
| Odor threshold                               | Not applicable.                                      |
| pH                                           | Not applicable.                                      |
| Melting point                                | Not applicable.                                      |
| Boiling point                                | Not applicable.                                      |
| Flash point                                  | Not applicable unless individual components exposed. |
| Evaporation rate                             | Not applicable.                                      |
| Flammability (solid, gas)                    | Not applicable unless individual components exposed. |
| Lower and upper explosive (flammable) limits | Not applicable.                                      |
| Vapor pressure                               | Not applicable.                                      |
| Vapor density                                | Not applicable.                                      |
| Relative density                             | Not applicable unless individual components exposed. |
| Solubility in water                          | Not applicable unless individual components exposed. |
| Partition coefficient: n-octanol/water       | Not applicable.                                      |
| Auto-ignition temperature                    | Not applicable.                                      |
| Decomposition temperature                    | Not applicable.                                      |
| Viscosity                                    | Not applicable.                                      |

## SECTION 10: STABILITY AND REACTIVITY

|                                    |                                                                                                                                                                                                                                                                                      |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | Good stability at standard temperature and normal use. This product has no significant reactivity hazard.                                                                                                                                                                            |
| Chemical stability                 | Stable at room temperature in closed containers under normal storage and handling conditions.                                                                                                                                                                                        |
| Possibility of hazardous reactions | No dangerous reactions known. Hazardous polymerization will not occur                                                                                                                                                                                                                |
| Conditions to avoid                | Keep away from open flames, hot surfaces and sources of ignition. Do not puncture, crush or incinerate. Avoid exposing the cell to fire or high temperatures environment. Do not disassemble, crush, short or install with incorrect polarity. Avoid mechanical or electrical abuse. |
| Incompatible materials             | Oxidizing agents, alkalis, water.                                                                                                                                                                                                                                                    |
| Hazardous decomposition products   | Toxic Fumes and may form peroxides.                                                                                                                                                                                                                                                  |
| Additional information             | If leaked, forbidden to contact with strong oxidizers, mineral acids, strong alkalis, halogenated hydrocarbons.                                                                                                                                                                      |

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on toxicological effects

|                                                    |                             |
|----------------------------------------------------|-----------------------------|
| Acute toxicity                                     | There is no data available. |
| Irritation/Corrosion                               | There is no data available. |
| Sensitization                                      | There is no data available. |
| Mutagenicity                                       | There is no data available. |
| Carcinogenicity                                    | There is no data available. |
| Reproductive toxicity                              | There is no data available. |
| Teratogenicity                                     | There is no data available. |
| Specific target organ toxicity (single exposure)   | There is no data available. |
| Specific target organ toxicity (repeated exposure) | There is no data available. |
| Aspiration hazard                                  | There is no data available. |

Information on the likely routes of exposure: Dermal contact, Eye contact, Inhalation, Ingestion.

### Potential acute health effects

|              |                                                   |
|--------------|---------------------------------------------------|
| Eye contact  | No known significant effects or critical hazards. |
| Inhalation   | No known significant effects or critical hazards. |
| Skin contact | No known significant effects or critical hazards. |
| Ingestion    | No known significant effects or critical hazards. |

### Symptoms related to the physical, chemical and toxicological characteristics

|              |                         |                                                   |
|--------------|-------------------------|---------------------------------------------------|
| Eye contact  | Eye irritant.           | No known significant effects or critical hazards. |
| Inhalation   | Lung irritant.          | No known significant effects or critical hazards. |
| Skin contact | Skin irritant.          | No known significant effects or critical hazards. |
| Ingestion    | Poisoning if swallowed. | No known significant effects or critical hazards. |

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

|                             |                                                   |
|-----------------------------|---------------------------------------------------|
| Potential immediate effects | No known significant effects or critical hazards. |
| Potential delayed effects   | No known significant effects or critical hazards. |

#### Long term exposure

|                             |                                                   |
|-----------------------------|---------------------------------------------------|
| Potential immediate effects | No known significant effects or critical hazards. |
| Potential delayed effects   | No known significant effects or critical hazards. |

### Potential chronic health effects

|         |                                                   |
|---------|---------------------------------------------------|
| General | No known significant effects or critical hazards. |
|---------|---------------------------------------------------|

|                              |                                                   |
|------------------------------|---------------------------------------------------|
| <b>Carcinogenicity</b>       | No known significant effects or critical hazards. |
| <b>Mutagenicity</b>          | No known significant effects or critical hazards. |
| <b>Teratogenicity</b>        | No known significant effects or critical hazards. |
| <b>Developmental effects</b> | No known significant effects or critical hazards. |
| <b>Fertility effects</b>     | No known significant effects or critical hazards. |

### Numerical measures of toxicity

Acute toxicity estimates: There is no data available.

## SECTION 12: ECOLOGICAL INFORMATION

|                                      |                             |
|--------------------------------------|-----------------------------|
| <b>Toxicity</b>                      | There is no data available. |
| <b>Persistence and degradability</b> | There is no data available. |
| <b>Bioaccumulative potential</b>     | Slowly Bio-degradable.      |

### Mobility in soil

|                                                          |                                                   |
|----------------------------------------------------------|---------------------------------------------------|
| <b>Soil/water partition coefficient (K<sub>oc</sub>)</b> | No data available.                                |
| <b>Other adverse effects</b>                             | No known significant effects or critical hazards. |

### Further information

Ecological injuries are not known or expected under normal use. Do not flush into surface water or sanitary sewer system.

## SECTION 13: DISPOSAL CONSIDERATIONS

Do not incinerate, or subject cells to temperature in excess of 70°C, such abuse can result in loss of seal leakage, and/or cell explosion.

### Advice on disposal

It should be recycled and disposed basing on your local legislation and regulations.

### Contaminated packaging

Disposal in accordance with local regulations.

## SECTION 14: TRANSPORT INFORMATION

Lithium-ion battery packs are regulated as Class 9 Miscellaneous Dangerous Goods (also known as “hazardous materials” in the United States) pursuant to the International Civil Aviation Organization (ICAO) Technical Instructions for the Safe Transport of Dangerous Goods by Air, International Air Transport Association (IATA) Dangerous Goods Regulations, the International Maritime Dangerous Goods (IMDG) Code, European Agreements concerning the International Carriage of Dangerous Goods by Rail (RID) and Road (ADR), and applicable national regulations such as the USA’s hazardous materials regulations (see 49 CFR 173.185). These regulations contain very specific packaging, labeling, marking, and documentation requirements. The regulations also require that individuals involved in the preparation of dangerous goods for transport be trained and certified on proper package preparation, labeling, marking and preparing shipping documents.

The following provides information to trained and certified individuals to support proper shipping of this item.

| Type/Model | Nominal Voltage (DCV) | Nominal Capacity (mAh) | Power (Wh) | Weight |
|------------|-----------------------|------------------------|------------|--------|
|------------|-----------------------|------------------------|------------|--------|

|              |    |        |      |                                                 |
|--------------|----|--------|------|-------------------------------------------------|
| SRVL48RMBP2U | 48 | 50000  | 2400 | 28.35Kg<br>(16.86 Kg are<br>lithium batteries)  |
| SRVL48RMBP3U | 48 | 100000 | 4800 | 47.80 Kg<br>(33.72 Kg are<br>lithium batteries) |

- The battery pack meets the requirements of the test in the United Nations (UN) Manual of Tests and Criteria, Part III, subsection 38.3. UN38.3 Test Report Summary is available upon request
- Original packaging is strong rigid outer packaging appropriate to its capacity and intended use. The packaging is UN specification.
- The International Air Transport Association (IATA) Dangerous Goods Regulations (64<sup>th</sup> DGR Manual of IATA Edition 2023, Special Provisions A88、A99、A154、A164、A183、A201、A206、A213、A331、A334 & A802 for UN3480 Lithium Ion Battery & Packing Instruction 965, Section IA is applied.) Lithium ion batteries transport by air in accordance with PI965 at a state of charge (SOC) not to exceed 30 percent of rated design capacity.
- The International Maritime Dangerous Goods (IMDG) Code (Edition 2020 ,Special Provision、230、348、384 , Packing Instruction P903 is applied.)
- The battery pack must not be packed in the same outer packaging, or placed in an overpack with, dangerous goods classified in Class 1 (except 1.4S), Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) and Division 5.1 (oxidizers).

|                                | DOT                                                                                 | TDG                                                                                 | IMDG                                                                                 | IATA                                                                                  |
|--------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>UN number</b>               | UN3480                                                                              | UN3480                                                                              | UN3480                                                                               | UN3480                                                                                |
| <b>UN proper shipping name</b> | LITHIUM ION BATTERIES                                                               | LITHIUM ION BATTERIES                                                               | LITHIUM ION BATTERIES                                                                | LITHIUM ION BATTERIES                                                                 |
| <b>Packing Label</b>           |  |  |  |  |
| <b>Environmental Hazards</b>   | None                                                                                | None                                                                                | None                                                                                 | None                                                                                  |

|                               |                                                                                              |                                                   |                                                   |                                                                                                                       |
|-------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Additional Information</b> | HAZMAT Bill of Lading (BOL) required via ground or rail; Dangerous Goods declaration via air | Declaration of Dangerous Goods (DGD) is required. | Declaration of Dangerous Goods (DGD) is required. | Declaration of Dangerous goods(DGD) is required.<br>State of Charge (SOC) of the battery or cell must not exceed 30%. |
|-------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                        |  |  |                                                                                                                                                                                                                                  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | or sea.<br>Provide emergency response information by including this Safety Data sheet.<br><br>If shipped via ground in the USA, an acceptable alternative is to write "ERG 147" on the Bill of Lading. |  |  | Maximum 35Kg (battery weight) net quantity per package.<br>Statement on the (air) waybill<br>- "Dangerous Goods as per attached DGD" or "Dangerous Goods as per attached shipper's declaration" and "cargo aircraft only" or CAO |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                 |                |
|---------------------------------------------------------------------------------|----------------|
| <b>Special precautions for user</b>                                             | Not available. |
| <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Not available. |

## SECTION 15: REGULATORY INFORMATION

### Law information

《Dangerous Goods Regulations》  
 《Recommendations on the Transport of Dangerous Goods Model Regulations》  
 《International Maritime Dangerous Goods》  
 《List of dangerous goods》  
 《European Agreement concerning the International Carriage of Dangerous Goods by Road》  
 《Technical Instructions for the Safe Transport of Dangerous Goods》  
 《Classification and code of dangerous goods》  
 《Occupational Safety and Health Act》 (OSHA)  
 《Toxic Substance Control Act》 (TSCA)  
 《Consumer Product Safety Act》 (CPSA)  
 《Federal Environmental Pollution Control Act》 (FEPCA)  
 《The Oil Pollution Act》 (OPA)  
 《Superfund Amendments and Reauthorization Act Title III (302/311/312/313)》 (SARA)  
 《Resource Conservation and Recovery Act》 (RCRA)  
 《Safety Drinking Water Act》 (CWA)  
 《California Proposition 65》  
 《Code of Federal Regulations》 (CFR)

In accordance with all Federal, State and local laws.

## SECTION 16: OTHER INFORMATION

This file is only effective to the batteries SRVL48RMBP2U and SRVL48RMBP3U (used for UPS SRVL1KRIL, SRVL2KRIL, SRVL3KRIL, SRVL1KRILRK, SRVL2KRILRK, SRVL3KRILRK, SRVL6KRIL, SRVL6KRILRK, SRVL3KRIL-IN), provided by commissioner Schneider Electric IT Corporation, which is manufactured by Schneider Electric IT USA, Schneider Electric IT Corp., The commissioner provides the composition information of batteries, and promises its integrity and accuracy. Users should read this file carefully and use the batteries in correct method.

### **Further Information USA**

Data of sections 4 to 8, as well as 10 to 12, do not necessarily refer to the use and the regular handling of the product (in this sense consult package leaflet and expert information), but to release of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.

### **Notice to reader:**

**Schneider Electric has prepared this Product Safety Datasheets to provide information on the referenced battery systems. Batteries are defined as articles under the GHS and exempt from GHS classification criteria (Section 1.3.2.1.1 of the GHS). To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.**