



Compact CK circuit breaker time current curves

overcurrent protection ST 215D trip unit



Compact CK circuit breaker time current curves


overcurrent protection ST 315S - ST 315ST - ST 315SR trip unit



breaker type	current sensor	rating plug
CK 400N, CK 400H	400A	200, 250, 300, 400
CK 800N, CK 800H	800A	400, 500, 600, 700, 800
CK 1200N, CK 1200H	1200A	600, 700, 800, 1000, 1200


breaker type	interrupting ratings		
	RMS symmetrical amps		
	240V	480V	600V
CK 400N	65,000	50,000	35,000
CK 800N	65,000	50,000	35,000
CK 1200N	65,000	50,000	35,000
CK 400H	85,000	65,000	42,000
CK 800H	85,000	65,000	42,000
CK 1200H	85,000	65,000	42,000

note :
ground fault protection with ST 315ST, see curve p. 16



Compact CK circuit breaker time current curves


overcurrent protection ST 315L - ST 315LT - ST 315LR trip unit



breaker type	current sensor	rating plug
CK 1000HL	1000A	500, 600, 700, 800, 1000
CK 1000L	1000A	500, 600, 700, 800, 1000


breaker type	interrupting ratings		
	RMS symmetrical amps		
	240V	480V	600V
CK 1000HL	100,000	100,000	65,000
CK 1000L	100,000	100,000	

note:
ground fault protection with ST 315LT, see curve p. 16



Compact CK circuit breaker time current curves


overcurrent protection ST 315G - ST 315GT - ST 315GR trip unit



breaker type	current sensor	rating plug
CK 400N, CK 400H	400A	200, 250, 300, 400
CK 800N, CK 800H	800A	400, 500, 600, 700, 800
CK 1200N, CK 1200H	1200A	600, 700, 800, 1000, 1200

breaker type	interrupting ratings		
	RMS symmetrical amps		
	240V	480V	600V
CK 400N	65,000	50,000	35,000
CK 800N	65,000	50,000	35,000
CK 1200N	65,000	50,000	35,000
CK 400H	85,000	65,000	42,000
CK 800H	85,000	65,000	42,000
CK 1200H	85,000	65,000	42,000

note :
ground fault protection with ST 315GT, see curve p. 16



Compact CK circuit breaker time current curves

ground fault protection ST 315ST - ST 315LT - ST 315GT trip unit

